

ROLAND GO:KEYS 5

KEYBOARD

SOUND GENERATOR

Sound Generator

ZEN-Core

Tones

1,154 tones

74 Drum kits

Sound packs and Wave Expansion from Roland Cloud are available

Effects

Tone MFX: 2 systems, 93 types

Total MFX: 1 system, 15 types

Reverb: 1 system, 4 types

KEYBOARD

Keyboard

61 keys (Box-shape Keys with velocity)

Touch Sensitivity

Key Touch: 9 types, fixed touch

SPEAKER SYSTEM

Speaker

Speaker: 5 cm (2 inches) x 2 (with speaker box)

Passive Radiator x 2

BLUETOOTH

Bluetooth

Bluetooth Ver 5.0

Profile: A2DP (Audio), GATT (MIDI over Bluetooth Low Energy)

CODEC: SBC (Supports SCMS-T content protection)

AUTO ACCOMPANIMENT

Style

Preset: 203 styles

Z-Style packs from Roland Cloud are available

Functions

Start, Stop, Intro, Ending, Sync Start, Variation1, Variation2, Variation3, Variation4, Part Mute

Chord Sequencer

Preset Chord Pattern: 304 types

SCENE

User Scene

Scene: 256

* Import / export possible

DATA PLAYBACK

Playable Software

Proprietary MIDI format (99 songs, Approx. 70,000 notes memory per song)

Audio File (WAV: 44.1 kHz, 16-bit linear format, MP3: 44.1 kHz, 64--320 kbps, requires USB flash drive)

RECORDER

Recordable Software

Proprietary MIDI format (99 songs, Approx. 70,000 notes memory per song)

Audio File (WAV: 44.1 kHz, 16-bit linear format, requires USB flash drive)

Master Tuning

415.3--466.2 Hz (Adjustable in increments of 0.1 Hz)

Mic Effects

Auto Harmony (9 types)

Voice Transformer (Octave: -1--+1, Formant: -12--+12 semitones)

Compressor (Type: Soft, Normal, Hard)

Noise Suppressor (Threshold: -96--0 dB)

CONVENIENT FUNCTIONS

Convenient Functions

Metronome (Adjustable Tempo/Beat/Down beat/Pattern/Volume/Tone)
Transpose (Keyboard/Style: in semitones)
Octave Shift
Dual
Split (Split point adjustable)
Center Cancel
Arpeggiator
Auto Off

OTHER

Display

Graphic LCD 128 x 64 dots

Control

Master Volume slider
Pitch Bend Wheel

Connectors

DC In jack
Hold pedal jack (Capable of continuous detection when optional pedal connected)
Control pedal jack (Capable of continuous detection when optional pedal connected)
Input Stereo jack: Stereo miniature phone type
Output (L/Mono, R) jacks: 1/4-inch phone type
Mic Input jack: 1/4-inch phone type
USB COMPUTER port: USB Type-C® (Class Compliant for Audio and MIDI)
USB MEMORY port: USB A (Mass Storage)
EXT DEVICE port: USB A (Roland Cloud Connect WC-1)
Phones jack: Stereo miniature phone type

Power Supply

AC adaptor or Alkaline battery (AA, LR6) / Rechargeable Ni-MH battery (AA, HR6) x 8
* Carbon-zinc batteries cannot be used.

Power Consumption

9 W (When using the included AC adaptor)

Battery Life for Continuous Use

Rechargeable Ni-MH batteries (AA, HR6): Approximately 6 hours (When using batteries having a capacity of 1,900 mAh.)

Alkaline batteries (AA, LR6): Approximately 5 hours

*This figure will vary depending on the actual conditions of use.

Accessories

Quick Start

Leaflet "USING THE UNIT SAFELY"

AC Adaptor

Power Cord

Option (Sold separately)

Dedicated music rest: MRGKS3/5

Keyboard stand: KS-11Z, KS-13, KS-20X

Damper pedal: DP series

Expression pedal: EV-5

Wireless adapter: WC-1

SIZE AND WEIGHT

Width

950 mm

37-7/16 inches

Depth

Detached music rest:

286 mm

11-5/16 inches

With music rest:

395 mm

15-9/16 inches

Height

Detached music rest:

87 mm

3-7/16 inches

With music rest:

245 mm

9-11/16

Weight

4.9 kg, 10 lbs 13 oz

5.5 kg, 12 lbs 3 oz (GO:KEYS 5 with music rest)